NGAL urinario como marcador precoz de disfunción renal en perros con dirofilariosis e hipertensión pulmonar

Noelia Costa-Rodríguez[1], Daniel Julio Vera-Rodríguez[1], Soraya Falcón-Cordón[1], Beatriz Regina Morales[1], Rodrigo Morchón[2], José Alberto Montoya-Alonso[1], Elena Carretón[1].

[1]Medicina Interna, Facultad de Veterinaria, Instituto Universitario de Investigaciones Biomédicas y Sanitarias (iUIBS), Universidad de Las Palmas de Gran Canaria, Las Palmas de Gran Canaria, España.

[2]Grupo de Investigación Enfermedades Zoonósicas y One Health, Laboratorio de Parasitología, Facultad de Farmacia, Universidad de Salamanca, España.

Bibliografía:

1. Simón, F.; Siles-Lucas, M.; Morchón, R.; González-Miguel, J.; Mellado, I.; Carretón, E.; Montoya-Alonso, J.A. Human and animal dirofilariasis: The emergence of a zoonotic mosaic. Clin. Microbiol. Rev. 2012, 25, 507–544.

2. Morchón, R.; Rodríguez-Escolar, I.; Lambraño, R.E.H.; Agudo, J.Á.S.; Montoya-Alonso, J.A.; Serafín-Pérez, I.; Fernández-Serafín, C.; Carretón, E. Assessment heartworm disease in the Canary Islands (Spain): Risk of transmission in a hyperendemic area by ecological niche modeling and its future projection. Animals 2023, 13, 3251.

3. Bowman, D.D.; Atkins, C.E. Heartworm biology, treatment, and control. Vet. Clin. N. Am. Small Anim. Pract. 2009, 39, 1127–1158.

4. Maerz, I. Clinical and diagnostic imaging findings in 37 rescued dogs with heartworm disease in Germany. Vet. Parasitol. 2020, 283, 109156.

5. Reinero, C.; Visser, L.C.; Kellihan, H.B.; Masseau, I.; Rozanski, E.; Clercx, C.;Williams, K.; Abbott, J.; Borgarelli MScansen, B.A. ACVIM consensus statement guidelines for the diagnosis, classification, treatment, and monitoring of pulmonary hypertension in dogs. J. Vet. Intern. Med. 2020, 34, 549–573.

6. Yuchi, Y.; Suzuki, R.; Saito, T.; Yasumura, Y.; Teshima, T.; Matsumoto, H.; Koyama, H. Echocardiographic characteristics of dogs with pulmonary hypertension secondary to respiratory diseases. J. Vet. Intern. Med. 2023, 37, 1656–1666.

7. Morchón, R.; Carretón, E.; Grandi, G.; González-Miguel, J.; Montoya-Alonso, J.A.; Simón, F.; Genchi, C.; Kramer, L.H. Anti- Wolbachia surface protein antibodies are present in the urine of dogs naturally infected with Dirofilaria immitis with circulating microfilariae but not in dogs with occult infections. Vector Borne Zoonotic Dis. 2012, 12, 17–20.

8. Hormaeche, M.; Carretón, E.; González-Miguel, J.; Gussoni, S.; Montoya-Alonso, J.A.; Simón, F.; Morchón, R. Proteomic analysis of the urine of Dirofilaria immitis-infected dogs. Vet. Parasitol. 2014, 203, 241–246.

9. Kramer, L.H.; Tamarozzi, F.; Morchón, R.; López-Belmonte, J.; Marcos-Atxutegi, C.; Martín-Pacho, R.; Simón, F. Immune response to and tissue localization of theWolbachia surface protein (WSP) in dogs with natural heartworm (Dirofilaria immitis) infection. Vet. Immunol. Immunopathol. 2005, 106, 303–308.

10. Paes-de-Almeida, E.C.; Ferreira, A.M.; Labarthe, N.V.; Caldas, M.L.; McCall, J.W. Kidney ultrastructural lesions in dogs experimentally infected with Dirofilaria immitis (Leidy, 1856). Vet. Parasitol. 2003, 113, 157–168.

11. Carretón, E.; Falcón-Cordón, Y.; Rodon, J.; Matos, J.I.; Morchón, R.; Montoya-Alonso, J.A. Evaluation of serum biomarkers and proteinuria for the early detection of renal damage in dogs with heartworm (Dirofilaria immitis). Vet. Parasitol. 2020, 283, 109144.

12. Vetter, C.A.M.; Meindl, A.G.; Lourenço, B.N.; Coyne, M.; Drake, C.; Murphy, R.; Roth, I.G.; Moorhead, A.R. Evaluation of Renal Values during Treatment for Heartworm Disease in 27 Client-Owned Dogs. Parasites Vectors 2023, 16, 191.

13. Pelander, L.; Häggström, J.; Larsson, A.; Syme, H.; Elliott, J.; Heiene, R. Association between Kidney Function and Long-Term Outcome in Dogs with Myxomatous Mitral Valve Disease. J. Vet. Intern. Med. 2015, 29, 1300–1307.

14. Pelander, L.; Häggström, J.; Larsson, A.; Syme, H.; Elliott, J.; Heiene, R. Markers of Renal Tubular Injury in Dogs with Naturally Occurring Renal Disease and Their Association with Survival. J. Vet. Intern. Med. 2020, 34, 205–213.

15. Choi, B.S.; Moon, H.S.; Seo, S.H.; Hyun, C. Evaluation of serum cystatin-C and symmetric dimethylarginine concentrations in dogs with heart failure from chronic mitral valvular insufficiency. J. Vet. Med. Sci. 2017, 79, 41–46.

16. Pouchelon, J.L.; Atkins, C.E.; Bussadori, C.; Oyama, M.A.; Vaden, S.L.; Bonagura, J.D.; Chetboul, V.; Cowgill, L.D.; Elliott, J.; Francey, T.; et al. Cardiovascular-Renal Axis Disorders in the Domestic Dog and Cat: A Veterinary Consensus Statement. J. Small Anim. Pract. 2015, 56, 537–552.

17. Hall, J.A.; Yerramilli, M.; Obare, E.; Yerramilli, M.; Almes, K.; Jewell, D.E. Serum Concentrations of Symmetric Dimethylarginine and Creatinine in Dogs with Naturally Occurring Chronic Kidney Disease. J. Vet. Intern. Med. 2016, 30, 794–802.

18. Orvalho, J.S.; Cowgill, L.D. Cardiorenal Syndrome: Diagnosis and Management. Vet. Clin. N. Am. Small Anim. Pract. 2017, 47, 1083–1102.

19. Nabity, M.B.; Lees, G.E.; Boggess, M.M.; Yerramilli, M.; Obare, E.; Yerramilli, M.; Rakitin, A.; Aguiar, J.; Relford, R. Symmetric Dimethylarginine Assay Validation, Stability, and Evaluation as a Marker for the Early Detection of Chronic Kidney Disease in Dogs. J. Vet. Intern. Med. 2015, 29, 1036–1044.

20. Monari, E.; Troìa, R.; Magna, L.; Gruarin, M.; Grisetti, C.; Fernandez, M.; Balboni, A.; Giunti, M.; Dondi, F. Urine Neutrophil Gelatinase-Associated Lipocalin to Diagnose and Characterize Acute Kidney Injury in Dogs. J. Vet. Intern. Med. 2020, 34, 176–185.

21. Shrestha, K.; Borowski, A.G.; Troughton, R.W.; Thomas, J.D.; Klein, A.L.; Tang, W.H. Renal dysfunction is a stronger determinant of systemic neutrophil gelatinase-associated lipocalin levels than myocardial dysfunction in systolic heart failure. J. Card. Fail. 2011, 17, 472–478.

22. Peris, M.P.; Morales, M.; Ares-Gómez, S.; Esteban-Gil, A.; Gómez-Ochoa, P.; Gascón, M.; Moreno, B.; Castillo, J.A. Neutrophil Gelatinase-Associated Lipocalin (NGAL) Is Related with the Proteinuria Degree and the Microscopic Kidney Findings in Leishmania-Infected Dogs. Microorganisms 2020, 8, 1966.

23. Kim, Y.M.; Polzin, D.J.; Rendahl, A.; Granick, J.L. Urinary neutrophil gelatinase-associated lipocalin in dogs with stable or progressive kidney disease. J. Vet. Intern. Med. 2019, 33, 654–661.

24. Scheemaeker, S.; Meyer, E.; Schoeman, J.P.; Defauw, P.; Duchateau, L.; Daminet, S. Urinary neutrophil gelatinase-associated lipocalin as an early biomarker for acute kidney injury in dogs. Vet. J. 2020, 255, 105423.

25. Visser, L.C.; Im, M.K.; Johnson, L.R.; Stern, J.A. Diagnostic Value of Right Pulmonary Artery Distensibility Index in Dogs with Pulmonary Hypertension: Comparison with Doppler Echocardiographic Estimates of Pulmonary Arterial Pressure. J. Vet. Intern. Med. 2016, 30, 543–552.

26. Serrano-Parreño, B.; Carretón, E.; Caro-Vadillo, A.; Falcón-Cordón, Y.; Falcón-Cordón, S.; Montoya-Alonso, J.A. Evaluation of pulmonary hypertension and clinical status in dogs with heartworm by Right Pulmonary Artery Distensibility Index and other echocardiographic parameters. Parasites Vectors 2017, 10, 106.

27. Falcón-Cordón, Y.; Montoya-Alonso, J.A.; Caro-Vadillo, A.; Matos-Rivero, J.I.; Carretón, E. Persistence of pulmonary endarteritis in canine heartworm infection 10 months after the eradication of adult parasites of Dirofilaria immitis. Vet. Parasitol. 2019, 273, 1–4.

28. Venco, L.; Genchi, C.; Vigevani Colson, P.; Kramer, L. Relative utility of echocardiography, radiography, serologic testing and microfilariae counts to predict adultworm burden in dogs naturally infected with heartworms. In Recent Advances in Heartworm Disease, Symposium'01; Seward, R.L., Knight, D.H., Eds.; American Heartworm Society: Batavia, IL, USA, 2003; pp. 111–124.

29. McCall, J.W.; Genchi, C.; Kramer, L.H.; Guerrero, J.; Venco, L. Heartworm disease in animals and humans. Adv. Parasitol. 2008, 66, 193–285.

30. Suzuki, R.; Yuchi, Y.; Kanno, H.; Saito, T.; Teshima, T.; Matsumoto, H.; Koyama, H. Pulmonary Vascular Resistance Estimated by Echocardiography in Dogs With Myxomatous Mitral Valve Disease and Pulmonary Hypertension Probability. Front. Vet. Sci. 2021, 8, 771726.

31. Matos, J.I.; Falcón-Cordón, Y.; García-Rodríguez, S.N.; Costa-Rodríguez, N.; Montoya-Alonso, J.A.; Carretón, E. Evaluation of Pulmonary Hypertension in Dogs with Heartworm Disease Using the Computed Tomographic Pulmonary Trunk to Aorta Diameter Ratio. Animals 2022, 12, 2441.

32. Matos, J.I.; García-Rodríguez, S.N.; Costa-Rodríguez, N.; Caro-Vadillo, A.; Carretón, E.; Montoya-Alonso, J.A. Right Ventricle Strain Assessed by 2-Dimensional Speckle Tracking Echocardiography (2D-STE) to Evaluate Pulmonary Hypertension in Dogs with Dirofilaria immitis. Animals 2023, 14, 26.

33. Matos, J.I.; Caro-Vadillo, A.; Falcón-Cordón, Y.; García-Rodríguez, S.N.; Costa-Rodríguez, N.; Carretón, E.; Montoya-Alonso, J.A. Echocardiographic Assessment of the Pulmonary Vein to Pulmonary Artery Ratio in Canine Heartworm Disease. Animals 2023, 13, 703.

34. Kaiser, R.; Seiler, S.; Held, M.; Bals, R.; Wilkens, H. Prognostic impact of renal function in precapillary pulmonary hypertension. J. Intern. Med. 2014, 275, 116–126.

35. Ross, E.A. Congestive renal failure: The pathophysiology and treatment of renal venous hypertension. J. Card. Fail. 2012, 18, 930–938.

36. Shalenkova, M.A.; Mikhailova, Z.D.; Klimkin, P.F. NGAL as a marker for some extrarenal complications in acute coronary syndrome. Kardiologiia 2018, 17, 19–26. (In Russian).

37. Zhang, H.; Sun, T.; Yang, J.; Sun, Y.; Liu, G.; Krittanawong, C.; El-Am, E.A.; Chaaya, R.G.B.; Xu, L.; Ye, Z.; et al. Lipocalin 2: Could it be a new biomarker in pediatric pulmonary hypertension associated with congenital heart disease? Rev. Cardiovasc. Med. 2021, 22, 531–536.

38. Wang, G.; Liu, X.; Meng, L.; Liu, S.; Wang, L.; Li, J.; Cui, C.; Meng, J.; Hu, S.; Wei, Y. Up-Regulated Lipocalin-2 in Pulmonary Hypertension Involving in Pulmonary Artery SMC Resistance to Apoptosis. Int. J. Biol. Sci. 2014, 10, 798–806.

39. Priebe, H.J.; Heimann, J.C.; Hedley-Whyte, J. Effects of renal and hepatic venous congestion on renal function in the presence of low and normal cardiac output in dogs. Circ. Res. 1980, 47, 883–890.

40. Carretón, E.; Cerón, J.J.; Martínez-Subiela, S.; Tvarijonaviciute, A.; Caro-Vadillo, A.; Montoya-Alonso, J.A. Acute phase proteins and markers of oxidative stress to assess the severity of the pulmonary hypertension in heartworm-infected dogs. Parasites Vectors 2017, 10 (Suppl. S2), 477.

41. Falcón-Cordón, Y.; Tvarijonaviciute, A.; Montoya-Alonso, J.A.; Muñoz-Prieto, A.; Caro-Vadillo, A.; Carretón, E. Evaluation of acute phase proteins, adiponectin and endothelin-1 to determine vascular damage in dogs with heartworm disease (Dirofilaria immitis), before and after adulticide treatment. Vet. Parasitol. 2022, 309, 109759.

42. Casey, H.W.; Splitter, G.A. Membranous glomerulonephritis in dogs infected with Dirofilaria immitis. Vet. Pathol. 1975, 12, 111–117.

43. Shirota, K.; Takahashi, R.; Fujiwara, K.; Hasegawa, A. Canine interstitial nephritis with special reference to glomerular lesions and filariasis. Nihon Juigaku Zasshi 1979, 41, 119–129.

44. Simpson, C.F.; Gebhardt, B.M.; Bradley, R.E.; Jackson, R.F. Glomerulosclerosis in canine heartworm infection. Vet. Pathol. 1974, 11, 506–514.

45. Choi, B.S.; Moon, H.; Suh, S.I.; Hyun, C. Evaluation of serum symmetric dimethylarginine in dogs with heartworm infection. Can. J. Vet. Res. 2017, 81, 228–230.

46. El Karoui, K.; Viau, A.; Dellis, O.; Bagattin, A.; Nguyen, C.; Baron, W.; Burtin, M.; Broueilh, M.; Heidet, L.; Mollet, G.; et al. Endoplasmic reticulum stress drives proteinuria-induced kidney lesions via Lipocalin 2. Nat. Commun. 2016, 7, 10330.

47. Angelini, A.; Castellani, C.; Virzì, G.M.; Fedrigo, M.; Thiene, G.; Valente, M.; Ronco, C.; Vescovo, G. The Role of Congestion in Cardiorenal Syndrome Type 2: New Pathophysiological Insights into an Experimental Model of Heart Failure. Cardiorenal Med. 2015, 6, 61–72.

48. Kramer, T.; Brinkkoetter, P.; Rosenkranz, S. Right Heart Function in Cardiorenal Syndrome. Curr. Heart Fail. Rep. 2022, 19, 386–399.

49. Rysz, J.; Gluba-Brzózka, A.; Franczyk, B.; Jabłonowski, Z.; Ciałkowska-Rysz, A. Novel Biomarkers in the Diagnosis of Chronic Kidney Disease and the Prediction of Its Outcome. Int. J. Mol. Sci. 2017, 18, 1702.

50. Nauta, F.L.; Boertien,W.E.; Bakker, S.J.; van Goor, H.; van Oeveren,W.; de Jong, P.E.; Bilo, H.; Gansevoort, R.T. Glomerular and Tubular Damage Markers Are Elevated in Patients with Diabetes. Diabetes Care 2011, 34, 975–981.

51. Harley, L.; Langston, C. Proteinuria in dogs and cats. Can. Vet. J. 2012, 53, 631–638.

52. Dixon, F.J.; Feldman, J.D.; Vazquez, J.J. Experimental glomerulonephritis. The pathogenesis of a laboratory model resembling the spectrum of human glomerulonephritis. J. Exp. Med. 1961, 113, 899–920.

53. Nakagaki, K.; Hayasaki, M.; Ohishi, I. Histopathological and immunopathological evaluation of filarial glomerulonephritis in Dirofilaria immitis infected dogs. Jpn. J. Exp. Med. 1990, 60, 179–186.

54. Nakagaki, K.; Nogami, S.; Hayashi, Y.; Hammerberg, B.; Tanaka, H.; Ohishi, I. Dirofilaria immitis: Detection of parasite-specific antigen by monoclonal antibodies in glomerulonephritis in infected dogs. Parasitol. Res. 1993, 79, 49–54.

55. Méndez, J.C.; Carretón, E.; Martínez-Subiela, S.; Tvarijonaviciute, A.; Cerón, J.J.; Montoya-Alonso, J.A. Acute phase protein response in heartworm-infected dogs after adulticide treatment. Vet. Parasitol. 2015, 209, 197–201.

56. Falcón-Cordón, S.; Falcón-Cordón, Y.; Costa-Rodríguez, N.; Matos, J.I.; Montoya-Alonso, J.A.; Carretón, E. Assessment of Thoracic Radiographic Alterations in Dogs with Heartworm and Their Correlation with Pulmonary Hypertension, Pre- and Post-Adulticide Treatment. Animals 2024, 14, 2551.