

Manejo de la enteropatía perdedora de proteínas: diagnóstico y tratamiento

Miguel Gómez

Veterinario especialista en medicina interna y oncología

Imágenes cedidas por el autor

Bibliografía:

1. Dossin O, Lavoué R. Protein-Losing Enteropathies in Dogs. Vet Clin North Am Small Anim Pract. 2011 Mar;41(2):399-418.
2. Peterson PB, Willard MD. Chapter 58: Protein-losing enteropathies. Vet Clin North Am Small Anim Pract. 2003 Sep;33(5):1061-82.
3. Craven MD, Washabau, RJ. Comparative pathophysiology and management of protein-losing enteropathy. J Vet Intern Med. 2019 Mar;33(2):383-402.
4. Salavati Schmitz, S, Gow A, Bommer N, Morrison L, Mellanby R. Diagnostic features, treatment, and outcome of dogs with inflammatory protein-losing enteropathy. J Vet Intern Med. 2019 Sep;33(5):2005-2013.
5. Simpson KW, Jergens AE. Pitfalls and progress in the diagnosis and management of canine inflammatory bowel disease. Vet Clin North Am Small Anim Pract. 2011;41(2):381-398
6. Wennogle SA, Priestnall SL, Webb CB. Histopathologic Characteristics of Intestinal Biopsy Samples from Dogs With Chronic Inflammatory Enteropathy With and Without Hypoalbuminemia. J Vet Intern Med. 2017 Mar;31(2):371-376.
7. Kleinschmidt S, Meneses F, Nolte I, Hewicker-Trautwein M. Retrospective study on the diagnostic value of full-thickness biopsies from the stomach and intestines of dogs with chronic gastrointestinal disease symptoms. Veterinary Pathology. 2006 Nov;43(6):1000-3.
8. Jablonski SA. Pathophysiology, Diagnosis, and Management of Canine Intestinal Lymphangiectasia: A Comparative Review. Animals (Basel). 2022 Oct 15;12(20):2791.
9. Watson VE, Hobday MM, Durham AC. Focal intestinal lipogranulomatous lymphangitis in 6 Dogs (2008-2011). J Vet Intern Med 2014 Jan-Feb;28(1):48-51.
10. Sutherland-Smith J, Penninck DG, Keating JH, Webster CRL. Ultrasonographic intestinal hyperechoic mucosal striations in dogs are associated with lacteal dilation. Vet Radiol Ultrasound 2007 Jan-Feb;48(1):51-7.

11. Ullal TV, Marks SL, Huebner SN, Taylor SL, Shelley CD. Association of folate concentrations with clinical signs and laboratory markers of chronic enteropathy in dogs. *J Vet Intern Med.* 2023 Mar;37(2):455-464.
12. Gow AG, Else R, Evans H, Berry JL, Herrtage ME, Mellanby RJ. Hypovitaminosis D in dogs with inflammatory bowel disease and hypoalbuminaemia. *J Small Anim Pract.* 2011 Aug;52(8):411-8.
13. Wennogle SA, Priestnall SL, Suárez-Bonnet A, Webb CB. Comparison of clinical, clinicopathologic, and histologic variables in dogs with chronic inflammatory enteropathy and low or normal serum 25-hydroxycholecalciferol concentrations. *J Vet Intern Med.* 2019 Sep;33(5):1995-2004.
14. Allenspach K, Rizzo J, Jergens AE, Chang YM. Hypovitaminosis D is associated with negative outcome in dogs with protein losing enteropathy: A retrospective study of 43 cases. *BMC Vet Research.* 2017 Apr 8;13(1):96.
15. Jones C, Jablonski SA, Petroff BK, Langlois, DK. Relationship between serum magnesium, calcium, and parathyroid concentrations in dogs with abnormally low serum 25-hydroxyvitamin D concentration and chronic or protein-losing enteropathy. *J Vet Intern Med.* 2023 Jan;37(1):101-109.
16. Heilmann RM, Parnell NK, Grützner N, Mansell J, Berghoff N, Schellenberg S, Reusch CE, Suchodolski JS, Steiner JM. Serum and fecal canine α 1-proteinase inhibitor concentrations reflect the severity of intestinal crypt abscesses and/or lacteal dilation in dogs. *Veterinary Journal.* 2016 Jan;207:131-139.
17. Sacoar C, Barros LM, Montezinho L. What are the potential biomarkers that should be considered in diagnosing and managing canine chronic inflammatory enteropathies? *Open Veterinary Journal.* 2021 Jan;10(4):412-430.
18. Allenspach K, Lomas B, Wieland B, Harris T, Pressler B, Mancho C, Lees GE, Vaden SL. Evaluation of perinuclear anti-neutrophilic cytoplasmic autoantibodies as an early marker of protein-losing enteropathy and protein-losing nephropathy in Soft Coated Wheaten Terriers. *Am Journal Vet Res.* 2008 Oct;69(10):1301-4.
19. Goodwin LV, Goggs R, Chan DL, Allenspach K. Hypercoagulability in Dogs with Protein-Losing Enteropathy. *J Vet Intern Med.* 2011 Mar-Apr;25(2):273-7.
20. Jacinto AML, Ridyard AE, Aroch I, Watson PJ, Morrison LR, Chandler ML, Kuzi S. Thromboembolism in dogs with protein-losing enteropathy with non-neoplastic chronic small intestinal disease. *J Am Anim Hosp Assoc.* 2017 May/Jun;53(3):185-192.
21. Dixon A, Hall EJ, Adamantos S, Kathrani A, McGrath C, Black V. Hypercoagulability in dogs with chronic enteropathy and association with serum albumin concentration. *J Vet Intern Med.* 2021 Mar;35(2):860-866.

22. Rossi G, Gavazza A, Vincenzetti S, Mangiaterra S, Galosi L, Marchegiani A, Pengo G, Sagratini G, Ricciutelli M, Cerquetella M. Clinicopathological and fecal proteome evaluations in 16 dogs presenting chronic diarrhea associated with lymphangiectasia. *Veterinary Sciences* 2021 Oct 19;8(10):242.
23. Kleinschmidt S, Meneses F, Nolte I, Hewicker-Trautwein M. Retrospective study on the diagnostic value of full-thickness biopsies from the stomach and intestines of dogs with chronic gastrointestinal disease symptoms. *Veterinary Pathology*. 2006 Nov;43(6):1000-3.
24. Washabau RJ, Day MJ, Willard MD, Hall EJ, Jergens AE, Mansell J, Minami T, Bilzer TW. Endoscopic, biopsy, and histopathologic guidelines for the evaluation of gastrointestinal inflammation in companion animals. *J Vet Intern Med*. 2010 Jan-Feb;24(1):10-26.
25. Rudinsky AJ, Howard JP, Bishop MA, Sherding RG, Parker VJ, Gilor C. Dietary Management of Presumptive Protein Losing Enteropathy in Yorkshire Terriers. 2017 *J Small Anim Pract*;58(103-108)
26. Nagata N, Ohta H, Yokoyama N, Teoh YB, Nisa K, Sasaki N, Osuga T, Morishita K, Takiguchi M. Clinical Characteristics of Dogs with Food-Responsive Protein-Losing Enteropathy. 2020 *J Vet Intern Med*; 34(659-668).
27. Okanishi H, Yoshioka R, Kagawa Y, Watari T. The Clinical Efficacy of Dietary Fat Restriction in Treatment of Dogs with Intestinal Lymphangiectasia. 2014 *J Vet Intern Med*; 28(809-817).
28. Jablonski Wennogle SA, Stockman J, Webb CB. Prospective Evaluation of a Change in Dietary Therapy in Dogs with Steroid-Resistant Protein-Losing Enteropathy. 2021 *J Small Anim Pract*; 62(756-764).
29. Jablonski SA. Pathophysiology, Diagnosis, and Management of Canine Intestinal Lymphangiectasia: A Comparative Review. *Animals (Basel)* 2022 Oct 15;12(20):2791.
30. Julien RSD, Peter-John MN, Timothy JS, Peter JC, Alexander JG. Comparison of a chlorambucil-prednisolone combination with an azathioprine-prednisolone combination for treatment of chronic enteropathy with concurrent protein-losing enteropathy in dogs. *J Am Vet Med Assoc* 2013 Jun 15;242(12):1705-14.
31. Allenspach K, Rüfenacht S, Sauter S, Gröne A, Steffan J, Strehlau G, Gaschen F. Pharmacokinetics and clinical efficacy of cyclosporine treatment of dogs with steroid-refractory inflammatory bowel disease. *J Vet Intern Med* 2006 Mar-Apr;20(2):239-44.
32. deLaforcade A, Bacek L, Blais MC, Boyd C, Brainard BM, Chan DL, Cortellini S, Goggs R, Hoareau GL, Koenigshof A, Li R, Lynch A, Ralph A, Rozanski E, Sharp CR. 2022 Update of the Consensus on the Rational Use of Antithrombotics and Thrombolytics in

Veterinary Critical Care (CURATIVE) Domain 1- Defining populations at risk. *Journal of Veterinary Emergency and Critical Care*. 2022 May;32(3):289-314.

33. Jablonski SA, Mazepa ASW, Tolbert MK. Use of octreotide for the treatment of protein-losing enteropathy in dogs: Retrospective study of 18 cases. *J Vet Intern Med*. 2024 Jan-Feb;38(1):145-151.
34. Gianella P, Lotti U, Bellino C, Bresciani F, Cagnasso A, Fracassi F, D'Angelo A, Pietra M. Clinicopathologic and prognostic factors in short- and long-term surviving dogs with protein-losing enteropathy. In *Schweizer Archiv fur Tierheilkunde*. 2017 Mar;159(3):163-169.
35. Allenspach K, Wieland B, Gröne A, Gaschen F. Chronic enteropathies in dogs: Evaluation of risk factors for negative outcome. *J Vet Intern Med*. 2007 Jul-Aug;21(4):700-8.
36. Kathrani A, Trewin I, Ancheta K, Psifidi A, le Calvez S, Williams J. A Preliminary Study Assessing a Transfer Learning Approach to Intestinal Image Analysis to Help Determine Treatment Response in Canine Protein-Losing Enteropathy. *Veterinary Sciences*. 2024 Mar 14;11(3):129.