

Manejo analgésico en amputaciones en pequeños animales

Camacho Fernández, Rocío¹; Bustamante Domínguez, Rocío^{1,2}

¹Veterinaria Servicio de anestesiología.

²Profesora de Hospital.

Hospital Clínico Veterinario, Universidad Europea de Madrid.

Bibliografía:

1. Fan TM. Pain management in veterinary patients with cancer. *Vet Clin North Am Small Anim Pract.* 2014;44(5):989–1001.
2. Costigan M, Scholz J, Woolf CJ. Neuropathic pain: a maladaptive response of the nervous system to damage. *Annu Rev Neurosci.* 2009;32:1–32.
3. Doshi TL, Dolomisiewicz E, Caterina MJ, et al. *Reg Anesth Pain Med* 2025;50:175–183.
4. Poradowski D, Obminska-Mrukowicz B. Effect of selected nonsteroidal anti-inflammatory drugs on the viability of canine osteosarcoma cells of the D-17 line: in vitro studies. *J Veterinary Res.* 2019;63(3): 399-403.
5. Dore M. Cyclooxygenase-2 expression in animal cancers. *Vet Pathol* 2011; 48(1):254–65.
6. Donati PA, Tarragona L, Franco JVA, Kreil V, Fravega R, Diaz A, et al. Efficacy of tramadol for postoperative pain management in dogs: systematic review and meta-analysis. *Vet Anaesth Analg.* 2021;48(3):283–296.
7. Nolan MW, Uzan OC, Green NA, Lana SE, Lascelles BDX. Intensity of perioperative analgesia but not pre-treatment pain is predictive of survival in dogs undergoing amputation plus chemotherapy for extremity osteosarcoma. *Vet Comp Oncol.* 2022 Sep;20(3):568-576.
8. Epstein M, Rodan I, Griffenhagen G, et al. 2015 AAHA/AAFP pain management guidelines for dogs and cats. *J Am Anim Hosp Assoc.* 2015;51:67-84.
9. Simon BT, Steagall PV. The present and future of opioid analgesics in small animal practice. *J Vet Pharmacol Ther.* 2017;40(4):315–326.
10. Visser, E., & Schug, S. A. (2006). *The role of ketamine in pain management.* *Biomedicine & Pharmacotherapy*, 60(7), 341–348.
11. Peltoniemi MA, Hagelberg NM, Oikkola KT, et al. Ketamine: a review of clinical pharmacokinetics and pharmacodynamics in anesthesia and pain therapy. *Clin Pharmacokinet.* 2016;55:1059–77.
12. Wickstead F, Martinez M. A systematic review of the use of peri-operative systemic ketamine in cats and dogs for analgesia. *Vet J.* 2025 Aug;312:106350.
13. Kazmir-Lysak K, Torres-Cantó L, Ingraffia S, Romanelli G, Massari F, Rossanese M, Compagnone K, Pisani G, Cinti F, Montinaro V, Collivignarelli F, Okushima S, Vallefuoco R. Use

- of wound infusion catheters for postoperative local anaesthetic administration in cats. *J Feline Med Surg.* 2023 Sep;25(9):1098612X231193534.
14. Grubb T, Lobprise H. Local and regional anaesthesia in dogs and cats: Descriptions of specific local and regional techniques (Part 2). *Vet Med Sci.* 2020;6(2):218–234.
 15. Ansón A, Laredo FG, Gil F, Soler M, Belda E, Ayala MD, Agut A. Comparison of two techniques for ultrasound-guided axillary brachial plexus blockade in cats. *J Feline Med Surg.* 2015;17(6):476–485.
 16. Congdon JM, Boscan P, Goh CSS, Rezende M. Psoas compartment and sacral plexus block via electrostimulation for pelvic limb amputation in dogs. *Vet Anaesth Analg.* 2017;44(4):915–924.
 17. Otero PE, Portela DA. *Manual of small animal regional anesthesia: illustrated anatomy for nerve stimulation and ultrasound-guided nerve blocks.* Buenos Aires: Editorial Inter-Médica; 2019.
 18. Srivastava D. Chronic post-amputation pain: perioperative management - review. *Br J Pain.* 2017;11(4):192-202.
 19. Benedetti MG, De Santis L, Mariani G, Donati D, Bardelli R, Perrone M, Brunelli S. Chronic pain in lower limb amputees: Is there a correlation with the use of perioperative epidural or perineural analgesia? *NeuroRehabilitation.* 2021;49(1):129-138.
 20. Portela DA, Verdier N, Otero PE. Regional anesthetic techniques for the pelvic limb and abdominal wall in small animals: a review of the literature and technique description. *Vet J.* 2018;238:27–40.
 21. Grubb T, Lobprise H. Local and regional anaesthesia in dogs and cats: Overview of concepts and drugs (Part 1). *Vet Med Sci.* 2020;6:209–217.
 22. Kirksey MA, Haskins SC, Cheng J, Liu SS. Local anesthetic peripheral nerve block adjuvants for prolongation of analgesia: a systematic qualitative review. *PLoS One.* 2015;10(9):e0137312.
 23. Abelson AL, McCobb EC, Shaw S, Armitage-Chan E, Wetmore LA, Karas AZ, Blaze C. Use of wound soaker catheters for the administration of local anesthetic for post-operative analgesia: 56 cases. *Vet Anaesth Analg.* 2009;36(6):597–602.
 24. Santoro F, Castineiras D, Kaartinen J. Intra- and postoperative opioid-sparing analgesia in a cat undergoing pelvic limb amputation. *JFMS Open Rep.* 2022 Aug 16;8(2):20551169221116868.
 25. Phillips L, McAbee K, Stephenson N, Stanke N, Booms M, Degner D. Evaluation of complications and feasibility of indwelling epidural catheter use for post-operative pain control in dogs in the home environment. *N Z Vet J.* 2015;63(2):86–91.
 26. Margeti C, Kostakis C, Tsioli V, Karagianni K, Flouraki E. Local anaesthesia techniques in dogs and cats: a review study. *Pets.* 2024;1(2):88-119.
 27. Torske KE, Dyson DH. Epidural analgesia and anesthesia. *Vet Clin North Am Small Anim Pract.* 2000;30(4):859-874.
 28. Suárez-Redondo M, Fuertes-Recuero M, Guzmán-Soltero A, et al. Description of postoperative complications and bacterial contamination of wound soaker catheters used to administer postoperative local analgesia after mastectomy in 11 dogs: case series. *Vet Res Commun.* 2024;48:2707–2712.

29. Brummett CM, Padda AK, Amodeo FS, Welch KB, Lydic R. Perineural dexmedetomidine added to ropivacaine causes a dose-dependent increase in the duration of thermal antinociception in sciatic nerve block in rat. *Anesthesiology*. 2009 Nov;111(5):1111-9.
30. Evangelista MC, Doodnaught GM, Fantoni DT, Steagall PVM. Sciatic and femoral nerve blockade using bupivacaine alone, or in combination with dexmedetomidine or buprenorphine in cats. *Vet Rec*. 2017;180:592.
31. Snyder LBC, Snyder CJ, Hetzel S. Buprenorphine + bupivacaine infraorbital nerve block in dogs. *J Vet Dent*. 2016;33(2):90–96.
32. Alves JC, Santos A, Jorge P, Carreira LM. A comparison of intra-articular blood cell secretome and blood cell secretome with triamcinolone acetonide in dogs with osteoarthritis: a crossover study. *Animals (Basel)*. 2022;12(23):3358.
33. Haslinger N, Ertelt K. Effective management of chronic lumbar back pain in five dogs using an erector spinae plane block. *Vet Rec Case Rep*. 2026;14:e70349.
34. Rusbridge C. Neuropathic pain in cats: Mechanisms and multimodal management. *J Feline Med Surg*. 2024 May;26(5):1098612X241246518.
35. Bone M, Critchley P, Buggy DJ. Gabapentin in postamputation phantom limb pain: a randomized, double-blind, placebo-controlled, cross-over study. *Reg Anesth Pain Med*. 2002;27:481–6.
36. Sills GJ. The mechanisms of action of gabapentin and pregabalin. *Curr Opin Pharmacol*. 2006 Feb;6(1):108–113.
37. Aghighi SA, Tipold A, Piechotta M, Lewczuk P, Kästner SB. Assessment of the effects of adjunctive gabapentin on postoperative pain after intervertebral disc surgery in dogs. *Vet Anaesth Analg*. 2012 Nov;39(6):636–646.
38. Crociolli GC, Cassu RN, Barbero RC, Rocha TL, Gomes DR, Nicácio GM. Gabapentin as an adjuvant for postoperative pain management in dogs undergoing mastectomy. *J Vet Med Sci*. 2015 Aug;77(8):1011-5.
39. Wagner AE, Mich PM, Uhrig SR, Hellyer PW. Clinical evaluation of perioperative administration of gabapentin as an adjunct for postoperative analgesia in dogs undergoing amputation of a forelimb. *J Am Vet Med Assoc*. 2010 Apr 1;236(7):751–756.
40. Moore SA. Managing Neuropathic Pain in Dogs. *Front Vet Sci*. 2016 Feb 22;3:12.
41. Kukanich B, Cohen RL. Pharmacokinetics of oral gabapentin in greyhound dogs. *Vet J*. 2011 Jan;187(1):133–135.
42. Ruel HLM, Steagall PV. Adjuvant analgesics in acute pain management. *Vet Clin North Am Small Anim Pract*. 2019;49(6):1127–41.
43. Menchetti M, Gandini G, Gallucci A, Della Rocca G, Matiasek L, Matiasek K, Gentilini F, Rosati M. Approaching phantom complex after limb amputation in the canine species. *J Vet Behav*. 2017;22:24–28.
44. Hanyu-Deutmeyer AA, Cascella M, Varacallo MA. *Phantom Limb Pain* [Internet]. In: *StatPearls* [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan-. Updated 4 Aug 2023. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK448188/>

45. Boesch JM, Roinestad KE, Lopez DJ, Newman AK, Campoy L, Gleed RD, Hayes GM. The Canine Postamputation Pain (CAMPPAIN) initiative: a retrospective study and development of a diagnostic scale. *Vet Anaesth Analg*. 2021 Nov;48(6):861-870.
46. Mathews K, Kronen PW, Lascelles D, Nolan A, Robertson S, Steagall PV, Wright B, Yamashita K. Guidelines for recognition, assessment and treatment of pain: WSAVA Global Pain Council members and co-authors of this document: *J Small Anim Pract*. 2014 Jun;55(6):E10-68.
47. Olcoz M, Cabezas MÁ, Rocca GD, Gómez de Segura IA. Translation to Spanish and linguistic validation of the Canine Brief Pain Inventory. *Front Vet Sci*. 2023 Jun 30;10:1203453.
48. Monteiro BP, de Lorimier LP, Moreau M, Beauchamp G, Blair J, Lussier B, et al. Pain characterization and response to palliative care in dogs with naturally-occurring appendicular osteosarcoma: an open label clinical trial. *PLoS One*. 2018;13(12):e0207200.
49. Benito J, Hansen B, Depuy V, Davidson GS, Thomson A, Simpson W, Roe S, Hardie E, Lascelles BD. Feline musculoskeletal pain index: responsiveness and testing of criterion validity. *J Vet Intern Med*. 2013 May-Jun;27(3):474-82.
50. Enomoto M, Lascelles BDX, Gruen ME. Development of a checklist for the detection of degenerative joint disease-associated pain in cats. *J Feline Med Surg*. 2020 Dec;22(12):1137-1147.
51. Dickerson VM, Coleman KD, Ogawa M, Saba CF, Cornell KK, Radlinsky MG, Schmiedt CW. Outcomes of dogs undergoing limb amputation, owner satisfaction with limb amputation procedures, and owner perceptions regarding postsurgical adaptation: 64 cases (2005-2012). *J Am Vet Med Assoc*. 2015 Oct 1;247(7):786-92.
52. Menchetti M, Della Rocca G, Tartari I, Gandini G, Di Salvo A, Rosati M. Approaching phantom complex after limb amputation in cats. *J Vet Behav*. 2022;50:23–29. doi:10.1016/j.jveb.2022.01.002
53. Galindo-Zamora V, von Babo V, Eberle N, Betz D, Nolte I, Wefstaedt P. Kinetic, kinematic, magnetic resonance and owner evaluation of dogs before and after the amputation of a hind limb. *BMC Vet Res*. 2016 Jan 25;12:20.
54. Wagner JR, DeSandre-Robinson DM, Moore GE, Loughin CA, Simons MC. Complications and owner satisfaction associated with limb amputation in cats: 59 cases (2007-2017). *BMC Vet Res*. 2022 Apr 22;18(1):147.
55. Kimura S, Selmic LE, Maritato KC, Morello E, Pellin MA, Oblak ML, Culp WTN, Malek S, Séguin B, Vernier T, Sumner JP, Wustefeld-Janssens BG, Schlag AN, Liptak JM. Limb amputation for feline appendicular bone tumors results in excellent recovery outcomes and high owner satisfaction with a low incidence of complications. *J Am Vet Med Assoc*. 2025 Mar 26;263(6):732-7